

P05-1800X1300

PRINTING

HYDRAULIC PRESS FOR THERMOPRINTING AND THERMOADESIVE



CARATTERISTICHE

- doppi piani di preparazione, con movimento automatico;
- temperatura del piatto registrabile fino a 230°C e controllata da termostato elettronico inserito nel pannello comandi;
- tempi di pressata automatici e registrabili;
- lo speciale sistema di riscaldamento Monti Antonio S.p.A. garantisce perfetta uniformità di temperatura per qualsiasi dimensione di lavoro;
- il potente sistema di pressione Monti Antonio S.p.A., idraulico, garantisce perfetta uniformità di pressione per qualsiasi dimensione di lavoro.

CHARACTERISTICS

- double plane for preparation, with automatic movement;
- plate temperature adjustable up to 230°C and controlled by electronic thermostat included in the controls panel;
- registrable and automatic pressing times;
- the special Monti Antonio S.p.A. heating system ensures perfect temperature uniformity for any working dimension;
- the powerful Monti Antonio S.p.A. pressure system ensures perfect pressure uniformity for any working dimension.

IT

Pressa IDRAULICA ad alta tecnologia per termostampa sublimatica. Adatta a produzioni di maglieria sportiva, capi moda, banner e prodotti promozionali, arredamento, applicazioni di transfer e flock, e laminazione.


EN

High technology HYDRAULIC press for sublimation printing. Suitable for production of sportswear, fashion, banner and promotional material, furniture, flock and transfer application, and laminating.

TECHNICAL DATA

P05-1800X1300

PRINTING



Planes dimensions / Dimensioni piani	mm	1800x1300 (70.8x51.18")
Working width / Dimensioni utili	mm	1710x1210 (67.3x47.6")
Installed electric power / Potenza elettrica installata	kW	19
Average consumption / Consumo medio	kW/h	13
Net weight / Peso netto	Kg	1915



ALL DATA AND TECHNICAL FEATURES ARE PURELY INDICATIVE, SUBJECTED TO CHANGES WITHOUT PRIOR NOTICE AND REFER TO STANDARD MACHINES WITHOUT OPTIONS. PICTURES SHOWN ARE STOCK IMAGES AND MAY INCLUDE OPTIONS NOT INCLUDED AS STANDARD.

I DATI E LE CARATTERISTICHE TECNICHE SONO PURAMENTE INDICATIVI, SOGGETTI A VARIAZIONE SENZA OBBLIGO DI PREAVVISO E RELATIVI A MACCHINE SENZA OPTIONAL. LE FOTO INSERITE SONO IMMAGINI A STOCK E POSSONO INCLUDERE OPTIONAL NON COMPRESI DI SERIE.

©2023 Monti Antonio S.p.A.
All rights reserved



INNOVATION
SPEED
FLEXIBILITY
PROJECT&DESIGN
INSTALLATION AND ASSISTANCE

Monti Antonio S.p.A.
Head Office: via dell'Elettronica n°5, 36016 Thiene (VI) Italy
Operation and Administration: via della Fisica n°6, 36016 Thiene (VI) Italy
T. +39 0445 364619 +39 0445 364707 - sales@montiantonio.com
www.montiantonio.com

MODELLO P05-1800X1300

Pressa doppia per:

- Stampa transfer
- Termofissaggio
- Termoincollaggio ed accoppiatura a film/web
- Plastificazione e ricoprimento a film
- Laminazione oro e metallizzazione
- Transfer di effetti (es.: pelle di serpente)

1. CARATTERISTICHE PIANI STAMPA:

- 1.1. Numero piani: 2
- 1.2. Dimensioni : 1.800 mm (71,00") x 1.300 mm (51,00")
- 1.3. Dimensioni utili stampa normale: 1.710 mm (67.3") x 1.210 mm (47.6")

2. RISCALDAMENTO E CONTROLLO TEMPERATURA:

- 2.1. Il riscaldamento del piano stampa avviene per mezzo di resistenze elettriche.
- 2.2. La temperatura del piano di stampa è registrabile fino a 230°C e controllata da un termostato.

3. ALTRI DISPOSITIVI IN MACCHINA:

- 3.1. Funzionamento semi-automatico motorizzato
- 3.2. Spostamento piani di lavoro motorizzato
- 3.3. Tempi di pressata automatici e registrabili
- 3.4. Pressione idraulica

4. DATI TECNICI:

- 4.1. Potenza installata: 19 kW
- 4.2. Consumo elettrico medio: 13 kW/h
- 4.3. Ingombro: larghezza 1.935 mm (76"), lunghezza 3.985 mm (157"), altezza 1.415 mm (56").
- 4.4. Peso netto: 1915 kg
- 4.5. Macchina fabbricata in base alle normative della CE.
- 4.6. Codice doganale: 84 51 80 30

I dati e le caratteristiche tecniche sono puramente indicativi, soggetti a variazione senza obbligo di preavviso e relativi a macchine standard senza optional

INNOVATION
SPEED
FLEXIBILITY
PROJECT&DESIGN
INSTALLATION AND ASSISTANCE

 **MONTI ANTONIO®**
STANDARD & CUSTOM HEATING SOLUTIONS
Monti Antonio S.p.A.
Head Office: via dell'Elettronica n°5, 36016 Thiene (VI) Italy
Operation and Administration: viale della Fisica n°6, 36016 Thiene (VI) Italy
T: +39 0445 364619 - F: +39 0445 364033
sales@montiantonio.com - www.montiantonio.com

MODEL P08-1800X1300

Double flat bed press used for:

- Transfer printing
- Thermosetting - heatsetting
- Film/web thermobonding
- Plastification and coating with film
- Metallization and gold lamination
- Transfer of special effects (es.: snake skin)

1. CHARACTERISTIC OF PRINTING PLANES:

- 1.1. Planes number: 2
- 1.2. Dimensions: 1.800 mm (71,00") x 1.300 mm (51,00")
- 1.3. Working dimensions normal printing: 1.710 mm (67.3") x 1.210 mm (47.6")

2. HEATING AND TEMPERATURE CONTROL:

- 2.1. The printing plane is heated by electrical resistors.
- 2.2. The temperature of the printing plane is adjustable up to 230°C and controlled by electronic thermostat.

3. OTHERS DEVICES INTO MACHINE:

- 3.1. Motorized semi-automatic functions
- 3.2. Motorized movement of working planes
- 3.3. Automatic and recordable stroke times
- 3.4. Hydraulic pressure

4. TECHNICAL DATA:

- 4.1. Installed power: 19 kW
- 4.2. Average electrical consumption: 13 kW/h
- 4.3. Overall dimensions: width 1.935 mm (76,00 "). length 3.985 mm (157"). height 1.415 mm (56").
- 4.4. Net weight: 1.915 kg
- 4.5. Machine produced according to CE rules
- 4.6. Customs tariff: 84 51 80 30

All data and technical features are purely indicative, subjected to changes without prior notice and refer to standard machines without options